

**Notice of Allowability**

Application No.

10/787,512

Examiner

LOHA BEN

Applicant(s)

CAHALL, SCOTT C.

Art Unit

2873

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.


1. ☒ This communication is responsive to Applicant's papers dated February 26, 2004.
2. ☒ The allowed claim(s) is/are 1-14.
3. ☒ The drawings filed on 26 February 2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some\* c) ☐ None of the:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  
\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.  
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  
1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.  
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.  
**Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).**
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)  
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)  
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 0204  
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material  
5. ☐ Notice of Informal Patent Application (PTO-152)  
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.  
7. ☒ Examiner's Amendment/Comment  
8. ☒ Examiner's Statement of Reasons for Allowance  
9. ☐ Other \_\_\_\_\_.

  
**Loha Ben**  
**Primary Examiner**

### EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

The application has been amended as follows:

#### In the Specification

Page 1, lines 3-5 have been replaced with the following paragraph:

- This application is a divisional of U.S. Patent application Serial No. 10/373,472 filed February 24, 2003, in the name of Cahall, and assigned to the Eastman Kodak Company, now U.S. Pat. No. 6,785,054.

#### In the Claims

Claims 2, 3 and 6 have been rewritten as follows:

2. (Currently Amended) The magnifier lens of claim 1, wherein the aspheric surface of the first positive power lens element is a simple conic.
3. (Currently Amended) The magnifier lens of claim 1, wherein the aspheric surface of the second negative power meniscus lens element is a simple conic.
6. (Currently Amended) The optical system of claim 4, further comprising:  
a cover glass positioned on an eye side of the object to be viewed; and  
a beam splitter positioned between the object side surface of the ~~[[second]]~~ third positive power bi-convex lens element and the cover glass, wherein the object

Art Unit: \*\*\*

side surface of the third positive power bi-convex lens element is positioned about 8.1 mm from the object to be viewed.

### **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance: Best reference noted is Ruben. The device of the present invention and that of the patent contain each three lens elements with the first one positive, the second one negative, and the third one positive. However, the first one of the former is not necessarily a biconvex lens element and has only one aspheric surface; the second one of the former is not a biconcave lens element, but a meniscus lens element ( the second one of both devices has at least one aspheric surface ); and the third one of the former has at least one aspheric surface, whereas that of the latter has none. In view of this difference, it is concluded that the two devices contain divergent subject matters.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Loha Ben whose telephone number is (571) 272-2323. The examiner can normally be reached on Monday to Saturday, generally between 12:00 noon and 8:00 p.m.

Art Unit: \*\*\*

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Y. Epps, can be reached on Monday to Friday, at (571) 272-2328. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

September 3, 2004



**Loha Ben**  
**Primary Examiner**